:

Version: 10.0

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 25/09/2015 Revision date: 05/06/2015

FOODTEX FOOD LUBE SAFE

FOODTEX FOOD LUBE SAFE		
SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking	
1.1. Product identifier		
Product form	: Mixture	
Product name	: FOODTEX FOOD LUBE SAFE	
Type of product	: Aerosol	
Vaporizer	: Aerosol	
1.2. Relevant identified uses of the sub	bstance or mixture and uses advised against	
1.2.1. Relevant identified uses		
Main use category	: Professional use	
Industrial/Professional use spec	: For professional use only	
Use of the substance/mixture	: Lubricant.	
1.2.2. Uses advised against		
No additional information available		
1.3. Details of the supplier of the safet	y data sheet	
CHEMODEX LIMITED	CANAL ROAD, WORKSOP, NOTTINGHAMSHIRE, S80 2EH, UNITED KINGDOM Tel: 01909 473 301 Fax: 01909 500 961 Email: sales@chemodex.co.uk	
1.4. Emergency telephone number		
Emergency number	: Mon to Fri 8.30am to 5.00pm - 01909 473 301	
SECTION 2: Hazards identification		
2.1. Classification of the substance or	mixture	
Classification according to Regulation (EC) Aerosol 1 H222:H229	No. 1272/2008 [CLP]	
Full text of H-phrases: see section 16		
2.2. Label elements		
Labelling according to Regulation (EC) No.	1272/2008 [CLP]	
Hazard pictograms (CLP)	: GHS02	
Signal word (CLP)	: Danger	
Hazard statements (CLP)	: H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated	
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P211 - Do not spray on an open flame or other ignition source P251 - Do not pierce or burn, even after use P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F 	
2.3. Other hazards		
No additional information available		
SECTION 3: Composition/informati	on on ingredients	
3.1. Substance		
Not applicable		
3.2. Mixture		

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Name	Product identifier	%	Classification according to Directive 67/548/EEC	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propane substance with national workplace exposure limit(s) (DK, IE)	(CAS No) 74-98-6 (EC no) 200-827-9 (EC index no) 601-003-00-5	5 - 15	F+; R12	Flam. Gas 1, H220
butane substance with national workplace exposure limit(s) (DK, GB, IE)	(CAS No) 106-97-8 (EC no) 203-448-7 (EC index no) 601-004-00-0	5 - 15	F+; R12	Flam. Gas 1, H220 Press. Gas

Full text of R- and H-phrases: see section 16

SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Get medical advice/attention if you feel unwell.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash with plenty of soap and water.		
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present		
	and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention.		
4.2. Most important symptoms and ef			
Symptoms/injuries	: Not expected to present a significant hazard under anticipated conditions of normal use.		
Symptoms/injuries after inhalation	: May cause respiratory irritation.		
Symptoms/injuries after skin contact	: Repeated exposure may cause skin dryness or cracking.		
Symptoms/injuries after eye contact	: Causes eye irritation.		
Symptoms/injuries after ingestion	: May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract.		
	ical attention and special treatment needed		
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.		
5.2. Special hazards arising from the	substance or mixture		
Fire hazard	: Extremely flammable aerosol.		
Explosion hazard	: Explosion risk in case of fire.		
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Remove ignition sources.		
6.1.1. For non-emergency personnel			
Emergency procedures			
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Use personal protective equipment as required.		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containment and cleaning up			
For containment	: Collect spillage.		
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.		
6.4. Reference to other sections			
For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.			
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed	: Pressurized container: Do not pierce or burn, even after use.		
Precautions for safe handling	: Do not spray on an open flame or other ignition source.		
Hygiene measures	: Do not eat, drink or smoke when using this product.		

Safety Data Sheet

according to Regulation (EC) No. 453/2010

7.2. Conditions for safe storage, including any incompatibilities				
Technical measures	: Does not require any specific or particular technical measures.			
Storage conditions	 Keep away from ignition sources. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. 			
Incompatible products	: Oxidizing agent. Strong acids. Strong bases.			
Incompatible materials	: Direct sunlight. Heat sources. Sources of ignition.			
Special rules on packaging	: Keep only in original container.			
7.3. Specific end use(s)				

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

propane (74-98-6)	propane (74-98-6)			
Denmark	Local name	Propan		
Denmark	Grænseværdie (langvarig) (mg/m³)	1800 mg/m³		
Denmark	Grænseværdie (langvarig) (ppm)	1000 ppm		
Ireland	Local name	Propane		
Ireland	OEL (8 hours ref) (ppm)	1000 ppm		
Ireland	Notes (IE)	Asphx		
butane (106-97-8)				
Denmark	Local name	n-Butan		
Denmark	Grænseværdie (langvarig) (mg/m³)	1200 mg/m ³		
Denmark	Grænseværdie (langvarig) (ppm)	500 ppm		
Ireland	Local name	Butane		
Ireland	OEL (8 hours ref) (ppm)	1000 ppm		
United Kingdom	Local name	Butane		
United Kingdom	WEL TWA (mg/m ³)	1450 mg/m³		
United Kingdom	WEL TWA (ppm)	600 ppm		
United Kingdom	WEL STEL (mg/m ³)	1810 mg/m ³		
United Kingdom	WEL STEL (ppm)	750 ppm		
United Kingdom	Remark (WEL)	Carc, (only applies if Butane contains more than 0.1% of buta-1,3-diene)		

8.2. Exposure controls		
Materials for protective clothing	: Not required for normal conditions of use	
Hand protection	: In case of repeated or prolonged contact wear gloves	
Eye protection	: Not required for normal conditions of use	
Skin and body protection	: Not required for normal conditions of use	
Respiratory protection	: Not required for normal conditions of use	

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Liquid : Aerosol. Appearance : light yellow. Colour Odour : odourless. Odour threshold : No data available pН : No data available Relative evaporation rate (butylacetate=1) : No data available : No data available Melting point Freezing point : No data available Boiling point : No data available : No data available Flash point Auto-ignition temperature : No data available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0,78
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity				
10.1. Reactivity				
Pressurised container: May burst if heated.				
10.2. Chemical stability				
Stable under normal conditions.				
10.3. Possibility of hazardous reactions				
No additional information available				
10.4. Conditions to avoid				
Direct sunlight. Heat. Open flame.				
10.5. Incompatible materials				
No additional information available				
10.6. Hazardous decomposition products				
No additional information available				

SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
FOODLUBE SPRAY	
Vaporizer	Aerosol
CECTION 10. Ecological information	
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

ccording to Regulation (EC) No. 453/2010	
12.5. Results of PBT and vPvB assess No additional information available	ment
12.6. Other adverse effects No additional information available	
SECTION 13: Disposal considerat	ions
13.1. Waste treatment methods Waste disposal recommendations Image: Commendation state	: Do not pierce or burn, even after use.
·	
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA	/ ADN
14.1. UN number	
UN-No. (ADR)	: 1950
UN-No. (IMDG)	: 1950 : 1950
UN-No.(IATA)	: 1950
14.2. UN proper shipping name	
Proper Shipping Name (ADR) Proper Shipping Name (IMDG)	: AEROSOLS : AEROSOLS
Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: AEROSOLS : AEROSOLS, FLAMMABLE
Transport document description (ADR)	: UN 1950 AEROSOLS, 2.1, (D)
Transport document description (IMDG)	: UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: 2.1
Danger labels (ADR)	: 2.1
IMDG	
Transport hazard class(es) (IMDG)	: 2.1
Danger labels (IMDG)	: 2.1
ΙΑΤΑ	
Transport hazard class(es) (IATA)	: 2.1
Hazard labels (IATA)	: 2.1
· · ·	
14.4. Packing group	
Packing group (ADR)	: Not applicable
Packing group (ADR) Packing group (IMDG)	: Not applicable
Packing group (ADR)	

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Marine pollutant	
Other information	

Other information

: No supplementary information available

: No

Special precautions for user 14.6.

- Overland transport		
Classification code (ADR)	:	5F
Special provisions (ADR)	:	190, 327, 344, 625
Limited quantities (ADR)		1L
Excepted quantities (ADR)	:	E0
Packing instructions (ADR)	:	P207, LP02
Special packing provisions (ADR)	:	PP87, RR6, L2
Mixed packing provisions (ADR)	:	MP9
Transport category (ADR)	:	2
Special provisions for carriage - Packages (ADR)	:	V14
Special provisions for carriage - Loading, unloading and handling (ADR)	:	CV9, CV12
Special provisions for carriage - Operation (ADR)	:	S2
Tunnel restriction code (ADR)	:	D
- Transport by sea		
Special provisions (IMDG)	:	63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	:	SP277
Excepted quantities (IMDG)	:	E0
Packing instructions (IMDG)	:	P207, LP02
Special packing provisions (IMDG)	:	PP87, L2
EmS-No. (Fire)	:	F-D
EmS-No. (Spillage)	:	S-U
Stowage category (IMDG)	:	None
- Air transport		
PCA Excepted quantities (IATA)	:	E0
PCA Limited quantities (IATA)	:	Y203
PCA limited quantity max net quantity (IATA)	:	30kgG
PCA packing instructions (IATA)	:	203
PCA max net quantity (IATA)	:	75kg
CAO packing instructions (IATA)	:	203
CAO max net quantity (IATA)	:	150kg
Special provisions (IATA)	:	A145, A167, A802
ERG code (IATA)	:	10L
14.7. Transport in bulk according to Anne	x I	II of MARPOL 73/78 and the IBC Code
IRC code		Not applicable

IBC code

: Not applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

EU-Regulations 15.1.1.

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. **National regulations**

Germany

VwVwS Annex reference

: Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 4)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of R-, H- and EUH-phrases:

Aerosol 1	Aerosol, Category 1
Flam. Gas 1	Flammable gases, Category 1
Press. Gas	Gases under pressure
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H229	Pressurised container: May burst if heated

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product